


# DG03-A1C Series

## Hanging Double-sided Digital Signage



### Key Features



- Hanging installation method saves space



- Support playing videos, pictures, and other promotional advertisements



- Double sided screen display, covering a larger viewing angle range



- Fresh and minimalist design style

### Applications



Mall Atrium



Theater Stage




Conference Room




Library

Dimension

43inch



55inch



## Specifications

| Model               | Name                                         | DG03-A1C43                                 | DG03-A1C55                |
|---------------------|----------------------------------------------|--------------------------------------------|---------------------------|
| Mainboard           | OS                                           | Android 11.0                               |                           |
|                     | CPU                                          | Quad Core Cortex-A55 2.0GHz                |                           |
|                     | Chipset                                      | RK3568                                     |                           |
|                     | RAM                                          | 2GB                                        |                           |
|                     | ROM                                          | 16GB                                       |                           |
| Display             | Size                                         | 43-inch                                    | 55-inch                   |
|                     | Backlight                                    | E-LED                                      |                           |
|                     | Aspect Ratio                                 | 16:9                                       |                           |
|                     | Resolution                                   | 1920 × 1080                                |                           |
|                     | Contrast                                     | 1200:1                                     |                           |
|                     | Response Time                                | 8ms (G TO G)                               |                           |
|                     | Frequency                                    | 60Hz                                       |                           |
|                     | View Angle                                   | 178° (H)/178° (V)                          |                           |
|                     | Brightness                                   | 300cd/m <sup>2</sup> +700cd/m <sup>2</sup> |                           |
|                     | Colour Depth                                 | 16.7M                                      |                           |
|                     | Life                                         | >30000 hours                               |                           |
| Speaker             | Power                                        | 3Wx2                                       |                           |
| Interface           | RJ45                                         | 1                                          |                           |
|                     | USB2.0                                       | 1                                          |                           |
|                     | USB3.0                                       | 1                                          |                           |
|                     | HDMI OUT                                     | 1                                          |                           |
|                     | Earphone                                     | 1                                          |                           |
| Support Format      | Video                                        | wmv/avi/flv/rm/rmvp/mpeg/ts/mp4            |                           |
|                     | Audio                                        | MP3/WMA/MP2/WAV                            |                           |
|                     | Image                                        | JPG/BMP/PNG/GIF                            |                           |
| Network             | Wi-Fi                                        | 2.4G                                       |                           |
|                     | LAN                                          | RJ45                                       |                           |
| Power               | Power Input                                  | AC 100~240V @50/60Hz                       |                           |
|                     | Rated power                                  | ≤130W                                      | ≤200W                     |
|                     | Standby Consumption                          | <4W                                        |                           |
| Physical Parameters | Appearance Style                             | Hanging double-sided screen                |                           |
|                     | Product Color                                | White                                      |                           |
|                     | Product Dimensions                           | 580.5×1240.1×33mm (L×H×W)                  | 730.4×1508.4×33mm (L×H×W) |
|                     | Product Dimensions (including lifting rings) | 580.5×1283.8×33mm (L×H×W)                  | 730.4×1552.6×33mm (L×H×W) |
|                     | Package Dimensions                           | 1360×706×155mm (L×H×W)                     | 1650×860×175mm (L×H×W)    |
|                     | Net Weight                                   | 25kg                                       | 45kg                      |
|                     | Gross Weight                                 | 29kg                                       | 48kg                      |
|                     |                                              |                                            |                           |
| General Environment | Operating Temperature                        | 0°C to 50°C                                |                           |
|                     | Storage Temperature                          | -20°C to 60°C                              |                           |
|                     | Operating Humidity                           | 20% to 80% RH (Non-condensing)             |                           |
|                     | Storage Humidity                             | 10% to 90% RH (Non-condensing)             |                           |

Web: [www.zkdigimax.com](http://www.zkdigimax.com)

Mailbox: [sales@zkdigimax.com](mailto:sales@zkdigimax.com)

SG: Teletech Park #03-/32,20 Science Park Road, 117674 Singapore

USA: 1600 Unoion Hill Rd. Alpharetta GA, 30005 USA

IDN: Mangkuluhur City Office Tower One 10th fl jakarta, 12930 Indonesia