



Digital Directory Signage

DG03-A7F22 | DG03-A7F32 | DG03-A7F43

Key Features



Ergonomic Sloped Touch Design

Crafted for intuitive, stand-up interaction in high-traffic environments



10-Point Capacitive Touchscreen

Delivers ultra-responsive, precise touch performance for seamless user experience



Full HD Display with Wide Viewing

1920×1080 resolution and 89° viewing angles ensure clear visuals from every direction



Sleek & Durable Build

Built with premium materials and protected by 3mm tempered glass for long-term reliability

Applications



Station / Public Space



Departement Store




Office Building




Art Gallery

Dimensions


21.5 inch



32 inch



43 inch



Specifications

Model	Name	DG03-A7F22	DG03-A7F32	DG03-A7F43
Mainboard	OS	Android 11.0		
	CPU	Quad Core Cortex-A55 1.8GHz		
	Chipset	RK3566		
	RAM	2GB		
	ROM	16GB		
Display	Size	21.5-inch	32-inch	43-inch
	Backlight	E-LED		
	Aspect Ratio	16 : 9		
	Resolution	1920 × 1080		
	Frequency	60Hz		
	View Angle	89/89/89/89		
	Brightness	350cd/m ² (typ.)		
Touch Parameters	Touch Points	10 points		
	Touch scheme	Capacitive G+G		
	Input	Fingers or specialized stylus		
	Accuracy	≤2mm		
Interface	RJ45	1		
	Earphone	1		
	USB2.0	2		
Support Format	Video	wmv/avi/flv/rm/rmvb/mpeg/ts/mp4		
	Audio	MP3/WMA/MP2/WAV		
	Image	JPG/BMP/PNG/GIF		
Network	Wi-Fi	2.4G		
	LAN	RJ45		
Power	Power Input	AC 110~220V		
	Rated power	≤50W		
Physical Parameters	Product Color	White		
	Tempering Glass	3mm		
	Product Dimensions	1151×594×400mm (L×H×W)	1250×820×600mm (L×H×W)	1350×1070×600mm (L×H×W)
General Environment	Operating Temperature	0°C to 60°C		
	Storage Temperature	(-5°)C to 65°C		
	Operating Humidity	10% to 90% RH (Non-condensing)		
	Storage Humidity	10% to 90% RH (Non-condensing)		