

“

The left style is more
suitable for one
person to costume

”

“

But their price are
the same, with a large
different in weight

”

Sound Dome

DG05-SA01

Key Features



Directional transmission, super directional

Directional sound production, independent audio space, and localized propagation greatly reduce noise pollution.



Exclusive patented audio processing technology

Low distortion, wider frequency response, supporting multiple directional audio applications.



The sound is clear without attenuation

The sound is clear and has a small attenuation amplitude, with a longer propagation distance.

Applications




Entering Cafe



Recepcionist



Hallway



Museum

Specifications

Model Name	DG05-SA01
Max Output	88±3dB@2KHz
Directional Angle	<15°(-20dB)
Input Sensitivity	1 Vrms
Input Voltage Value(MAX)	2.8 Vpp
Frequency Response	500Hz-13kHz
Rate Power	15W
Input Interface	3.5mmAUX/U disk
Power	DC24V
Power Supply	AC110-220V
Support Formats	MP3/WAV
Product Dimensions	294×169×29mm
Net Weight	0.85kg
Operating Temperature	15°C to 45°C
Operating Humidity	10% to 90% RH (Non-condensing)
Accessories	
Universal Bracket	1PC (75×75mm)
Amplifier	1PC (153×111×46mm)
Card Reader	1PC
AC Adapter	1PC
Audio Cable	1PC (3.5mm)

Typical Applications

